

Prevent • Promote • Protect

Environmental Health Division 1675 W. Garden of the Gods Road Suite 2044 Colorado Springs, CO 80907 (719) 578-3199 phone (719) 578-3188 fax www.elpasocountyhealth.org

Arvidson Minor Subdivision, MS-17-006

Please accept the following comments from El Paso County Public Health regarding the minor subdivision project referenced above:

- The proposed Lot #1 which will contain an existing house has an onsite wastewater treatment system (OWTS) approved in 1982 for 3 bedrooms. This OWTS must be contained entirely within the new Lot #1 property lines and meet all the El Paso County Public Health minimum installation setbacks. There must be sufficient area on Lot #1 for replacement of the OWTS if ever required in the future.
- The proposed new Lot #2 has planned for the installation of an onsite wastewater treatment system (OWTS); however, according to the El Paso County Assessor's Office the 5.01 acre original lot is within the Monument Sanitation District. Monument Sanitation District may require connection to wastewater service.
- An OWTS is a viable means of wastewater service which El Paso
 County Public Health (EPCPH) can support if all lot internal and
 external OWTS installation setbacks can be maintained. The proposed
 lot size of 2.37 acres is typically large enough to support an OWTS and
 an individual private well. The Entech Engineering Soil, Geology,
 Geologic Hazard, and Wastewater Study dated 14Sept2017 supported
 the installation of an OWTS on the proposed lot. The OWTS may be
 required to be designed by a Colorado Registered Professional
 Engineer depending upon the soil test results in the area selected for
 the soil treatment area.
- Proposed Lot #2 will have an individual private well that must meet the minimum setback requirements from interior and external OWTS components as required by the Onsite Wastewater Treatment System (OWTS) Regulations within Chapter 8 of the El Paso County Board of Health Regulations.

Mike McCarthy, R.E.H.S. El Paso County Public Health Environmental Health Division 719.575.8602 mikemccarthy@elpasoco.com 16Dec2017