HOMESTEAD NORTH AT STERLING RANCH FILING NO. 3

A PORTION OF THE SOUTHEAST 1/4 OF SECTION 28, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN COUNTY OF EL PASO, STATE OF COLORADO

BE IT KNOWN BY THESE PRESENTS:

THAT SR LAND, LLC, BEING THE OWNER OF THE FOLLOWING DESCRIBED TRACT OF LAND

LEGAL DESCRIPTION:

A PARCEL OF LAND LOCATED IN THE SOUTHEAST 1/4 OF SECTION 28, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN, COUNTY OF EL PASO, STATE OF COLORADO AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BASIS OF BEARINGS: THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SECTION 34, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH P.M. AS MONUMENTED AT THE SOUTHWEST CORNER OF SAID SOUTHWEST QUARTER BY A 2-1/2" ALUMINUM CAP STAMPED "LS 11624" AND AT THE SOUTHEAST CORNER OF SAID SOUTHWEST QUARTER BY A 2-1/2" ALUMINUM CAP STAMPED "LS 11624", SAID LINE BEARS N89°14'14"E A DISTANCE OF 2,722.69 FEET.

COMMENCING AT THE NORTHEAST CORNER OF THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 29, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN;

THENCE ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 28, N00°53'15"W A DISTANCE OF 220.84 FEET, TO THE NORTHEASTERLY CORNER OF TRACT H, AS SHOWN ON THE PLAT OF HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2 IN THE RECORDS OF THE EL PASO COUNTY CLERK AND RECORDER, AND THE POINT OF BEGINNING;

THENCE ON THE NORTHERLY LINES OF SAID HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2, THE FOLLOWING SIXTEEN (16) COURSES:

- 1. S79°18'16"W A DISTANCE OF 441.05 FEET;
- 2. S78°01'26"W A DISTANCE OF 79.85 FEET;
- 3. S71°09'48"W A DISTANCE OF 87.13 FEET;
- 4. S63°35'09"W A DISTANCE OF 87.13 FEET;
- 5. S55°58'31"W A DISTANCE OF 87.13 FEET;
- 6. S48°27'49"W A DISTANCE OF 87.13 FEET;
- 7. S39°48'59"W A DISTANCE OF 110.92 FEET;
- 8. N63°15'15"W A DISTANCE OF 10.26 FEET;
-

9. N51°18'16"W A DISTANCE OF 124.15 FEET;

11. N51°16'53"W A DISTANCE OF 128.03 FEET;

- 10. N51°17'40"W A DISTANCE OF 80.48 FEET;
- 12. S38°42'19"W A DISTANCE OF 130.03 FEET:
- 13. N51°17'41"W A DISTANCE OF 52.77 FEET;
- 14. N20°05'15"W A DISTANCE OF 68.42 FEET;
- 15. N11°07'11"E A DISTANCE OF 3.91 FEET:
- 16. N76°20'29"W A DISTANCE OF 275.24 FEET, TO A POINT OF NON—TANGENT CURVE ON THE EASTERLY RIGHT—OF—WAY LINE OF VOLLMER ROAD;

THENCE ON SAID EASTERLY RIGHT-OF-WAY LINE, THE FOLLOWING THREE (3) COURSES:

- 1. ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS N77°47'32"W, HAVING A RADIUS OF 774.82 FEET, A CENTRAL ANGLE OF 01°34'03" AND AN ARC LENGTH OF 21.20 FEET, TO A POINT OF NON—TANGENT;
- 2. N11°06'40"E A DISTANCE OF 1021.80 FEET, TO A POINT OF CURVE;
- 3. ON THE ARC OF A CURVE TO THE LEFT, HAVING A RADIUS OF 980.00 FEET, A CENTRAL ANGLE OF 07°48'21" AND AN ARC LENGTH OF 133.51 FEET, TO A POINT OF NON-TANGENT ON THE SOUTHERLY RIGHT-OF-WAY LINE OF POCO ROAD;

THENCE ON SAID SOUTHERLY RIGHT-OF-WAY LINE, N89°08'31"E A DISTANCE OF 1327.21 FEET, TO A POINT ON THE EAST LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 28:


THENCE ON SAID EAST LINE, S00°53'15"E A DISTANCE OF 1095.99 FEET, TO THE POINT OF BEGINNING.

CONTAINING A CALCULATED AREA OF 1,778,429 SQUARE FEET OR 40.8271 ACRES.

ACCEPTANCE CERTIFICATE FOR TRACTS:

THE DEDICATION OF TRACTS A-G ARE FOR LANDSCAPE PURPOSES, TRAILS, UTILITIES, AND DRAINAGE AND ARE HEREBY ACCEPTED FOR OWNERSHIP AND MAINTENANCE BY STERLING RANCH METROPOLITAN DISTRICT NO. 3.

BY:	
AS:	OF STERLING RANCH METROPOLITAN DISTRICT NO. 3
STATE OF COLORADO)) SS	
COUNTY OF EL PASO)	
ACKNOWLEDGED BEFORE ME THIS	DAY OF, 202, A.D.
BY:	
AS:	OF STERLING RANCH METROPOLITAN DISTRICT NO. 3
WITNESS MY HAND AND OFFICIAL SEAL:	
MY COMMISSION EXPIRES:	
NOTARY PUBLIC:	



EASEMENTS:

ALL EASEMENTS THAT ARE DEDICATED HEREON FOR PUBLIC UTILITY PURPOSES RELATED TO GAS AND ELECTRIC SHALL BE SUBJECT TO THOSE TERMS AND CONDITIONS AS SPECIFIED IN THE INSTRUMENT RECORDED AT RECEPTION NUMBER 212112548 OF THE RECORDS OF EL PASO COUNTY, COLORADO. ALL OTHER EASEMENTS OR INTERESTS OF RECORD AFFECTING ANY OF THE PLATTED PROPERTY DEPICTED HEREON SHALL NOT BE AFFECTED AND SHALL REMAIN IN FULL FORCE AND EFFECT.

OWNERS CERTIFICATE/ DEDICATION STATEMENT:

THE ABOVE OWNER, SR LAND, LLC, HAVE CAUSED SAID TRACT OF LAND TO BE SURVEYED AND PLATTED INTO TRACTS, LOTS, STREETS, AND EASEMENTS AS SHOWN ON THE ACCOMPANYING PLAT, WHICH PLAT IS DRAWN TO A FIXED SCALES AS INDICATED THEREON AND ACCURATELY SETS FORTH THE BOUNDARIES AND DIMENSIONS OF SAID TRACT AND LOCATIONS OF SAID EASEMENTS, AND WHICH TRACT SO PLATTED SHALL BE KNOWN AS HOMESTEAD NORTH AT STERLING RANCH FILING NO. 3, EL PASO COUNTY, COLORADO.

ALL STREETS HEREBY PLATTED ARE HEREBY DEDICATED TO PUBLIC USE AND SAID OWNER DOES HEREBY PERSONALLY COVENANT AND AGREE THAT ALL PLATTED STREETS WILL BE CONSTRUCTED TO EL PASO COUNTY STANDARDS, AND THAT PROPER DRAINAGE FOR SAME WILL BE PROVIDED AT HIS OWN EXPENSE, ALL TO THE SATISFACTION OF THE BOARD OF COUNTY COMMISSIONERS OF EL PASO COUNTY, COLORADO, AND UPON ACCEPTANCE BY RESOLUTION, ALL STREETS SO DEDICATED WILL BECOME MATTERS OF MAINTENANCE BY EL PASO COUNTY, COLORADO.

THE AFOREMENTIONED, SR LAND, LLC HAS EXECUTED THIS INSTRUMENT THIS DAY	′OF,	2022, A.D.
BY:	-	
PRINTED NAME:		
AS:	OF SR LAND, LLC	
STATE OF COLORADO)) SS		
) SS COUNTY OF EL PASO)		
THE FORGOING INSTRUMENT WAS ACKNOWLEDGED B	· · · · · · · · · · · · · · · · · · ·	DAY OF
AS: OF	SR LAND, LLC	
WITNESS MY HAND AND OFFICIAL SEAL:		
MY COMMISSION EXPIRES:		

NOTARY PUBLIC

SURVEYOR'S CERTIFICATE.

THE UNDERSIGNED REGISTERED PROFESSIONAL LAND SURVEYOR LICENSED IN THE STATE OF COLORADO, HEREBY STATES AND DECLARES THAT THE ACCOMPANYING PLAT WAS SURVEYED AND DRAWN UNDER HIS RESPONSIBLE CHARGE AND ACCURATELY SHOWS THE DESCRIBED TRACT OF LAND, AND SUBDIVISION THEREOF, AND THAT THE REQUIREMENTS OF TITLE 38 OF THE COLORADO REVISED STATUTES, 1973, AS AMENDED, HAVE BEEN MET TO THE BEST OF HIS KNOWLEDGE AND BELIEF.

JARROD ADAMS, PROFESSIONAL LAND SURVEYOR COLORADO NO. 38252

FOR AND ON BEHALF OF JR ENGINEERING, LLC

NOTICE:

ACCORDING TO COLORADO LAW, YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT, MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE OF THE CERTIFICATION SHOWN HEREON.

PCD DIRECTOR CERTIFICATE:

THIS PLAT FOR "HOMESTEAD NORTH AT STERLING RANCH FILING NO. 3" WAS APPROVED FOR FILING BY THE EL PASO COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT DIRECTOR ON THIS ______ DAY OF ______, 202____, SUBJECT TO ANY NOTES OR CONDITIONS SPECIFIED HEREON.

CHAIR, PLANNING AND COMMUNITY

CLERK AND RECORDER

DEVELOPMENT DEPARTMENT

STATE OF COLORADO)
)SS
COUNTY OF EL PASO)

I HEREBY CERTIFY THAT THIS INSTRUMENT WAS FILED FOR RECORD IN MY OFFICE

AT _____ O'CLOCK ____,M., THIS _____ DAY OF _______, 20____, A.D.

AND IS DULY RECORDED AT RECEPTION NO. ______ OF THE RECORDS OF EL PASO

CHUCK BROERMAN, RECORDER
BY:

COUNTY, COLORADO.

SUMMARY:

 77 LOTS
 21.8837 ACRES
 53.60%

 7 TRACTS
 11.8016 ACRES
 28.91%

 RIGHTS-OF-WAY
 7.1418 ACRES
 17.49%

TAL 40.8271 ACRES 100.00%

BRIDGE FEE: \$163,469.36 (OFFSET BY CDR-21-13 PRE CREDITS)

DRAINAGE FEE: \$399.643.48 (OFFSET WITH HN F1 AND SR F2 PRE-CREDITS)

SCHOOL FEE: _____

PARK FEE: URBAN AREA-\$22,330 REGIONAL AREA-\$35,420

JOB NO. 25188.12 MARCH 31, 2023 SHEET 1 OF 5



PCD FILE NO. SF-22-029

Centennial 303-740-9393 • Colorado Springs 719-593-2593 Fort Collins 970-491-9888 • www.jrengineering.com

HOMESTEAD NORTH AT STERLING RANCH FILING NO. 3

A PORTION OF THE SOUTHEAST 1/4 OF SECTION 28, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN COUNTY OF EL PASO, STATE OF COLORADO

PLAT NOTES:

- 1. BASIS OF BEARINGS:
 BEARINGS ARE BASED ON THE SOUTH LINE OF THE SOUTHWEST QUARTER OF
 SECTION 34, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH P.M. AS
 MONUMENTED AT THE SOUTHWEST CORNER OF SAID SOUTHWEST QUARTER BY A
 2-1/2" ALUMINUM CAP STAMPED "LS 11624" AND AT THE SOUTHEAST CORNER OF
 SAID SOUTHWEST QUARTER BY A 2-1/2" ALUMINUM CAP STAMPED "LS 11624",
- 2. WATER SERVICE SHALL BE SUPPLIED BY FALCON AREA WATER AND WASTEWATER AUTHORITY(FAWWA).
- SEWER SERVICE SHALL BE SUPPLIED BY FALCON AREA WATER AND WASTEWATER AUTHORITY(FAWWA).
- 4. ELECTRIC SERVICES SHALL BE PROVIDED BY MOUNTAIN VIEW ELECTRIC ASSOCIATION.
- 5. NATURAL GAS SERVICES SHALL BE PROVIDED BY BLACK HILLS ENERGY.
- 6. FIRE PROTECTION BY THE BLACK FOREST FIRE PROTECTION DISTRICT.

SAID LINE BEARS N89°14'14"E, A DISTANCE OF 2,722.56 FEET.

- 7. ALL STRUCTURAL FOUNDATIONS SHALL BE LOCATED AND DESIGNED BY A
- PROFESSIONAL ENGINEER, CURRENTLY LICENSED IN THE STATE OF COLORADO.

 8. THE FOLLOWING REPORTS HAVE BEEN SUBMITTED IN ASSOCIATION WITH THE
- PRELIMINARY PLAN SP 22-07 OR FINAL PLAT FOR THIS SUBDIVISION AND ARE ON FILE AT THE COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT: TRANSPORTATION IMPACT STUDY; DRAINAGE REPORT; WATER RESOURCES REPORT; WASTEWATER DISPOSAL REPORT; NATURAL HAZARDS REPORT; GEOLOGY AND SOILS REPORT; WETLAND STUDY/ 404 PERMIT.
- 9. ALL PROPERTY OWNERS ARE RESPONSIBLE FOR MAINTAINING PROPER STORM WATER DRAINAGE IN AND THROUGH THEIR PROPERTY. PUBLIC DRAINAGE EASEMENTS AS SPECIFICALLY NOTED ON THE PLAT SHALL BE MAINTAINED BY THE INDIVIDUAL LOT OWNERS UNLESS OTHERWISE INDICATED. STRUCTURES, FENCES, MATERIALS OR LANDSCAPING THAT COULD IMPEDE THE FLOW OF RUNOFF SHALL NOT BE PLACED IN DRAINAGE EASEMENTS.
- 10. UNLESS OTHERWISE INDICATED, ALL SIDE LOT LINES ARE HEREBY PLATTED ON EITHER SIDE WITH A 5 FOOT PUBLIC UTILITY AND DRAINAGE EASEMENT, EXCEPT WHEN THE SIDE YARD IS ADJACENT TO A PUBLIC STREET AND THEREFORE A 10 FOOT PUBLIC IMPROVEMENT, PUBLIC UTILITY AND DRAINAGE EASEMENT. ALL FRONT LOT LINES ARE HEREBY PLATTED WITH A 10 FOOT PUBLIC IMPROVEMENT, PUBLIC UTILITY AND DRAINAGE EASEMENT, AND ALL REAR LOT LINES ARE HEREBY PLATTED WITH A 10 FOOT PUBLIC UTILITY AND DRAINAGE EASEMENT. ALL EXTERIOR SUBDIVISION BOUNDARIES ARE HEREBY PLATTED WITH A 5 FOOT PUBLIC UTILITY AND DRAINAGE EASEMENT. THE SOLE RESPONSIBILITY FOR THE SURFACE MAINTENANCE OF EASEMENTS IS HEREBY VESTED WITH THE INDIVIDUAL PROPERTY OWNERS
- 11. DEVELOPER SHALL COMPLY WITH FEDERAL AND STATE LAWS, REGULATIONS, ORDINANCES, REVIEW AND PERMIT REQUIREMENTS, AND OTHER AGENCY REQUIREMENTS, IF ANY, OF APPLICABLE AGENCIES INCLUDING, BUT NOT LIMITED TO, THE COLORADO PARKS AND WILDLIFE, COLORADO DEPARTMENT OF TRANSPORTATION, U.S. ARMY CORP OF ENGINEERS AND THE U.S. FISH AND WILDLIFE SERVICE REGARDING THE ENDANGERED SPECIES ACT, PARTICULARLY AS IT RELATES TO THE LISTED SPECIES.
- 12. THE ADDRESS EXHIBITED ON THIS PLAT ARE FOR INFORMATIONAL PURPOSES ONLY.
 THEY ARE NOT THE LEGAL DESCRIPTION AND ARE SUBJECT TO CHANGE.
- 13. NO DRIVEWAY SHALL BE ESTABLISHED UNLESS AN ACCESS PERMIT HAS BEEN GRANTED BY EL PASO COUNTY.
- 14. NO LOT OR INTEREST THEREIN, SHALL BE SOLD, CONVEYED, OR TRANSFERRED WHETHER BY DEED OR BY CONTRACT, NOR SHALL BUILDING PERMITS BE ISSUED. UNTIL AND UNLESS EITHER THE REQUIRED PUBLIC AND COMMON DEVELOPMENT IMPROVEMENTS HAVE BEEN CONSTRUCTED AND COMPLETED AND PRELIMINARILY ACCEPTED IN ACCORDANCE WITH THE SUBDIVISION IMPROVEMENTS AGREEMENT BETWEEN THE APPLICANT/ OWNER AND EL PASO COUNTY AS RECORDED UNDER IN THE OFFICE OF THE CLERK AND RECORDER OF EL PASO COUNTY. COLORADO OR. IN THE ALTERNATIVE. OTHER COLLATERAL IS PROVIDED TO MAKE PROVISION FOR THE COMPLETION OF SAID IMPROVEMENTS IN ACCORDANCE WITH THE EL PASO COUNTY LAND DEVELOPMENT CODE AND ENGINEERING CRITERIA MANUAL. ANY SUCH ALTERNATIVE COLLATERAL MUST BE APPROVED BY THE BOARD OF COUNTY COMMISSIONERS OR, IF PERMITTED BY THE SUBDIVISION IMPROVEMENTS AGREEMENT, BY THE PLANNING AND COMMUNITY DEVELOPMENT CHAIR AND MEET THE POLICY AND PROCEDURE REQUIREMENTS OF EL PASO COUNTY PRIOR TO THE RELEASE BY THE COUNTY OF ANY LOTS FOR SALE, CONVEYANCE OR TRANSFER.

THIS PLAT RESTRICTION MAY BE REMOVED OR RESCINDED BY THE BOARD OF COUNTY COMMISSIONERS OR, IF PERMITTED BY THE SUBDIVISION IMPROVEMENTS AGREEMENT, BY THE PLANNING AND COMMUNITY DEVELOPMENT CHAIR UPON EITHER APPROVAL OF AN ALTERNATIVE FORM OF COLLATERAL OR COMPLETION AND PRELIMINARY ACCEPTANCE BY THE EL PASO BOARD OF COUNTY COMMISSIONERS OF ALL IMPROVEMENTS REQUIRED TO BE CONSTRUCTED AND COMPLETED IN ACCORDANCE WITH SAID SUBDIVISION IMPROVEMENTS AGREEMENT. THE PARTIAL RELEASE OF LOTS FOR SALE, CONVEYANCE OR TRANSFER MAY ONLY BE GRANTED IN ACCORDANCE WITH ANY PLANNED PARTIAL RELEASE OF LOTS AUTHORIZED BY THE SUBDIVISION IMPROVEMENTS AGREEMENT.

PLAT NOTES:

- 15. NO STRUCTURES OR FENCES ARE PERMITTED WITHIN DESIGNATED "FLOODPLAIN" AREAS.
- 16. A PORTION OF THIS SITE IS LOCATED WITHIN A DESIGNATED FEMA FLOODPLAIN AS DETERMINED BY THE FLOOD INSURANCE RATE MAP, COMMUNITY MAP NUMBER 08041C0535G, EFFECTIVE DATE DECEMBER 7, 2018.
- 17. NOTICE: THIS PROPERTY MAY BE ADVERSELY IMPACTED BY NOISE, DUST, FUMES, AND LIGHT POLLUTION CAUSED BY ADJACENT INDUSTRIAL PROPERTIES AND ACTIVITIES. THE BUYERS SHOULD RESEARCH AND BE AWARE OF THIS POTENTIALITY AND THE RAMIFICATIONS THEREOF.
- 18. ANY PERSON WHO KNOWINGLY REMOVES, ALTERS OR DEFACES ANY PUBLIC LAND SURVEY MONUMENT OR LAND BOUNDARY MONUMENT OR ACCESSORY, COMMITS A CLASS TWO (2) MISDEMEANOR PURSUANT TO CRS 18-4-508.
- 19. ALL PROPERTY WITHIN THIS SUBDIVISION IS INCLUDED IN STERLING RANCH METROPOLITAN DISTRICT NO. 3.
- 20. THE STERLING RANCH METROPOLITAN DISTRICT NO. 3 WILL BE RESPONSIBLE FOR MAINTENANCE OF THE ROADS AND DRAINAGE FACILITIES UNTIL PRELIMINARY ACCEPTANCE OF THE PUBLIC IMPROVEMENTS IN ACCORDANCE WITH THE REQUIREMENTS OF THE LAND DEVELOPMENT CODE, THE ENGINEERING CRITERIA MANUAL, AND THE SUBDIVISION IMPROVEMENTS AGREEMENT.
- 21. ALL PROPERTY WITHIN THIS SUBDIVISION IS SUBJECT TO A DECLARATION OF COVENANT AS RECORDED AT RECEPTION NUMBER 219003168 OF THE RECORDS OF THE EL PASO COUNTY CLERK AND RECORDER.
- 22. SPECIAL DISTRICT DISCLOSURE:
 A TITLE 32 SPECIAL DISTRICT ANNUAL REPORT AND DISCLOSURE FORM SATISFACTORY TO THE DEVELOPMENT SERVICES DEPARTMENT SHALL BE RECORDED WITH EACH PLAT.
- 23. MAILBOXES SHALL BE INSTALLED IN ACCORDANCE WITH ALL EL PASO COUNTY AND UNITED STATES POSTAL SERVICE REGULATION.
- 24. THE SUBDIVIDER(S) AGREES ON BEHALF OF HIM/HERSELF AND ANY DEVELOPER OR BUILDER SUCCESSORS AND ASSIGNES THAT SUBDIVIDER AND/OR SAID SUCCESSORS AND ASSIGNS SHALL BE REQUIRED TO PAY TRAFFIC IMPACT FEES IN ACCORDANCE WITH THE EL PASO COUNTY ROAD IMPACT FEE PROGRAM RESOLUTION (RESOLUTION NO. 19-471), OR ANY AMENDMENTS THERETO, AT OR PRIOR TO THE TIME OF BUILDING PERMIT SUBMITTALS. THE FEE OBLIGATION, IF NOT PAID AT FINAL PLAT RECORDING, SHALL BE DOCUMENTED ON ALL SALES DOCUMENTS AND ON PLAT NOTES TO ENSURE THAT A TITLE SEARCH WOULD FIND THE FEE OBLIGATION BEFORE SALE OF THE PROPERTY. TRANSPORTATION IMPACT FEES ARE TO BE PAID AT BUILDING PERMIT
- PURSUANT TO RESOLUTION _______, APPROVED BY THE BOARD OF DIRECTORS, EL PASO COUNTY PUBLIC IMPROVEMENT DISTRICT 2 AND RECORDED IN THE RECORDS OF THE EL PASO COUNTY CLERK AND RECORDER AT RECEPTION NUMBER ______, THE PARCELS WITHIN THE PLATTED BOUNDARIES OF HOMESTEAD NORTH AT STERLING RANCH FILING NO. 3 ARE INCLUDED WITHIN THE BOUNDARIES OF THE EL PASO COUNTY PUBLIC IMPROVEMENT DISTRICT 2, AND AS SUCH IS SUBJECT TO APPLICABLE ROAD IMPACT FEES AND MILL LEVY.
- 25. THERE SHALL BE NO DIRECT RESIDENTIAL LOT ACCESS TO VOLLMER ROAD OR POCO ROAD.
- 26. TRACT C OF THIS PROPERTY IS SUBJECT TO A PRIVATE DETENTION BASIN / STORMWATER QUALITY BEST MANAGEMENT PRACTICE MAINTENANCE AGREEMENT AND EASEMENT AS RECORDED AT RECEPTION NO. ______ OF THE RECORDS OF EL PASO COUNTY. THE STERLING RANCH METROPOLITAN DISTRICT NO. 3 IS RESPONSIBLE FOR MAINTENANCE OF THE SUBJECT DRAINAGE FACILITIES.
- 27. ROAD ORDERS IN ROAD BOOK A AT PAGE 78 AND BOOK 571 AT PAGE 55 AFFECTING THIS PARCEL ARE HEREBY VACATED UPON RECORDATION OF THIS PLAT.
- 28. STERLING RANCH METROPOLITAN DISTRICT NO. 3 SHALL BE RESPONSIBLE FOR THE CONSTRUCTION AND MAINTENANCE OF RETAINING WALLS IN TRACT B.
- 29. STERLING RANCH METROPOLITAN DISTRICT NO. 3 SHALL BE RESPONSIBLE FOR THE MAINTENANCE OF THE UNDERDRAIN SYSTEM.
- 30. A SIX FOOT WIDE CONCRETE PEDESTRIAN TRAIL WILL BE INSTALLED IN TRACT A ADJACENT TO VOLLMER ROAD RIGHT-OF-WAY. STERLING RANCH METROPOLITAN DISTRICT WILL OWN AND MAINTAIN THIS TRAIL.
- 31. WALLS INSTALLED IN TRACT A ADJACENT TO VOLLMER ROAD RIGHT—OF—WAY WILL BE OWNED AND MAINTAINED BY STERLING RANCH METROPOLITAN DISTRICT.
- 32. LOTS 1-6 ARE NOT ELIGIBLE FOR RE-SUBDIVISION, AND ACT AS TRANSITIONAL LOTS TO ADJACENT ZONING
- 33. SOIL AND GEOLOGY CONDITIONS:
- THE FOLLOWING LOTS HAVE BEEN FOUND TO BE IMPACTED BY GEOLOGIC HAZARDS, MITIGATION MEASURES AND A MAP OF THE HAZARD AREA CAN BE FOUND IN THE SOIL, GEOLOGY AND GEOLOGIC HAZARD STUDY HOMESTEAD NORTH AT STERLING RANCH FILING NO. 3 REPORT BY ENTECH ENGINEERING DATED MAY 26, 2022 IN FILE SP22-07 AND IN FILE SF22-29 AVAILABLE AT THE EL PASO COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT:
- POTENTIALLY UNSTABLE SLOPES: TRACT C, A SETBACK OF 20 FEET FROM THE CREST OF ANY SLOPE STEEPER THAN 3:1 IS RECOMMENDED.
- FLOODPLAIN: TRACT C
- POTENTIALLY SEASONALLY HIGH GROUNDWATER: LOTS 1, 14, 17–18, 20–24, 39–41, 49–50, 60–64 AND 73–74 SHOWN AS IMPACTED, SEE BELOW GROUNDWATER NOTE.
- OTHER HAZARD:

IN AREAS OF HIGH GROUNDWATER: A MINIMUM OF 3 FEET BETWEEN FOUNDATIONS AND HIGHEST SEASONAL GROUNDWATER IS RECOMMENDED. DUE TO POTENTIALLY HIGH GROUNDWATER IN THE AREA, ALL FOUNDATIONS SHALL INCORPORATE AN UNDERGROUND DRAINAGE SYSTEM. WHERE BASEMENTS ARE CONSIDERED, INTERCEPTOR OR UNDERSLAB DRAINS MAY BE NECESSARY. FINAL DRAIN RECOMMENDATIONS REGARDING THE NEED FOR UNDERSLAB DRAINS SHOULD BE MADE AT THE TIME OF THE FOUNDATIONS EXCAVATION OBSERVATIONS. IF LOTS REQUIRE UNDERSLAB DRAINS, THE DRAIN CAN BE CONNECTED TO THE SEWER UNDERDRAIN SYSTEM.

TRACT USE AND AREA TABLE:

INACI USE	AND ANEA	IADLE		
TRACT	AREA (SF)	AREA (AC)	USE	OWNERSHIP/MAINTENANCE
Α	85,588	1.9648	LANDSCAPE, TRAILS, UTILITIES	STERLING RANCH METRO DISTRICT
В	78,913	1.8116	LANDSCAPE, TRAILS, UTILITIES	STERLING RANCH METRO DISTRICT
С	335,036	7.6914	LANDSCAPE, TRAILS, DRAINAGE, UTILITIES	STERLING RANCH METRO DISTRICT
D	3,495	0.0802	LANDSCAPE, UTILITIES	STERLING RANCH METRO DISTRICT
E	3,495	0.0802	LANDSCAPE, UTILITIES	STERLING RANCH METRO DISTRICT
F	3,868	0.0888	LANDSCAPE, UTILITIES	STERLING RANCH METRO DISTRICT
G	3,684	0.0846	LANDSCAPE, UTILITIES	STERLING RANCH METRO DISTRICT
TOTAL TRACT AREA	514,079	11.8016		
TOTAL ROW AREA	311,097	7.1418		
TOTAL LOT AREA	953,253	21.8837		
TOTAL AREA	1,778,429	40.8271		



JOB NO. 25188.12 MARCH 31, 2023 SHEET 2 OF 5



HOMESTEAD NORTH AT STERLING RANCH FILING NO. 3 A PORTION OF THE SOUTHEAST 1/4 OF SECTION 28, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN **COUNTY OF EL PASO, STATE OF COLORADO** ~~~⁷¹⁸³~~~ NW 1/4, SEC. 27, T.12S, R.65W, 6TH P.M. RETREAT AT TIMBERRIDGE FILING NO. 1 NE 1/4, SEC. 28, T.12S, R.65W, 6TH P.M. * RETREAT AT TIMBERRIDGE FILING NO. 1 REC. NO. 220714653 * REC. NO. 220714653 TRACT F E 1/4 COR. S.28, T.12S, R 65W, 6TH PM — RECOVERED 3—1/4" ALUMINUM CAP POCO ROAD (60' PUBLIC ROW) -STAMPED "LS10376 2006 / 30' W.C." RECOVERED 3-1/4" ALUMINUM CAP STAMPED "LS10376" __N44°08'31"E N89°08'31"E 476.46' N89°08'31"E 517.75' __ _ _ _ _ _160.00'_ _ _ _ _ _ _ __ __ __160.00'_ __ __ __ __ _ 155.87' __ _ _ _ 20,267 SF 0.4653 AC 22,400 SF 0.5142 AC 26,159 SF 21,843 SF 21,822 SF 0.5010 AC 19,684 SF 0.6005 AC 0.5015 AC 0.4519 AC TRACT C N89°08'31"E 324.90' N89°08'31"E 295.22' TRACT C **JESSE EVANS DR.** N89°08'31"E 851.74' **JESSE EVANS DR.** 335,036 SF 50' PUBLIC R.O.W 50' PUBLIC R.O.W 7.6914 AC (URBAN LOCAL) 13,899 SF 0.3191 AC (URBAN LOCAL) S89°08'31"W 295.22' __ .80.00' TRACT E-_TRACT D ~~~ 40' R.O.W. 3,495 SF 3,495 SF DEDICATED TO 0.0802 AC 0.0802 AC N89°08'31"E 93.35" COUNTY FOR -10,650 SF 0.2445 AC RIGHT-OF-WAY 10,800 SF 10,800 SF PURPOSES BY 10,739 SF 10,800 SF | 0,800 SF | 11,322 SF 0.2479 AC 5 0.2479 AC 0.2465 AC ៊ែ 0.2479 AC THIS PLAT 0.2465 AC ் 0.2479 AC ្រែ 0.2479 AC 0.2599 AC 18,042 SF 0.4142 AC _ 80.00, _ N89°08'31"E .N89°08'31"E. _ _ _ _ 80.00'. _ _ _N89°08'31"E. _ __ _80.00'_ __ . * RETREAT AT TIMBERRIDGE FILING NO. 1 * REC. NO. 220714653 9,734 SF 0.2235 AC 50 10,739 SF 50.2465 AC 10,800 SF | 10,800 SF 0.2479 AC 10,800 SF 0.2509 AC 10,800 SF ្រែ 0.2479 AC ្រែ 0.2479 AC 0.2479 AC 0.2465 AC 0.2479 AC 18,016 SF 0.4136 AC GRANT OF RIGHT-OF-WAY REC. NO. 220194548 __69.00'_ S89°08'31"W 339.03' N89°08'31"E 324.22' DAVID RUDABAUGH DR. N89°08'31"E 894.87' 50' PUBLIC R.O.W 440.03' 50' PUBLIC R.O.W (URBAN LOCAL) (URBAN LOCAL) ----N89°08'31"E 157.81'-N89°08'31"E 339.03' __ _80.00'_ __ . _ _ _80.00'_ __ _ TRACT F 3,868 SF TRACT G-3,684 SF 0.0888 AC 0.0846 AC **32** 25,209 SF 0.5787 AC 9,882 SF 0.2269 AC 11,720 SF 0.2691 AC 10,813 SF 0.2482 AC 11,330 SF 0.2601 AC 10,740 SF 10,800 SF √ 10,800 SF 10,800 SF 12,287 SF 0.2821 AC 5 0.2465 AC ົ້າດ 0.2479 AC ្រែ 0.2479 AC 9,182 SF 0.2108 AC 0.2231 AC 0.2479 AC ្រែ 0.2776 AC _.N89°08'31"E_ N89°08'31"E 166.76' 85,588 SF 1.9648 AC 12,160 SF 0.2792 AC 55 | 5, 10,800 SF | 5, 0.2479 AC 10,802 SF 0.2269 AC លី 10,800 SF | លី 10,800 SF | លី 10,802 SF | ្រុំ 0.2479 AC | ្រុំ 0.2480 AC 10,717 SF 0.2460 AC ு 0.2546 AC 0.2819 AC SEE SHEET 3 10' PUBLIC UTILITY AND DRAINAGE EASEMENT RECOVERED 1-1/4" YELLOW PLASTIC CAP STAMPED "LS 10376" AT GRADE RECOVERED #5 REBAR W/1-1/2" ALUMINUM CAP STAMPED "JR ENG LS 38252" SQUARE FEET RADIAL BEARING 5' PUBLIC UTILITY AND DRAINAGE EASEMENT NOT A PART OF THIS SUBDIVISION JOB NO. 25188.12 MARCH 31, 2023 PROPOSED SUBDIVISION BOUNDARY SHEET 4 OF 5 PROPOSED LOT LINE PROPOSED RIGHT-OF-WAY LINE PROPOSED CENTERLINE J·R ENGINEERING 10' PUBLIC — IMPROVEMENTS AND PUBLIC UTILITY EASEMENT ORIGINAL SCALE: 1" = 60°A Westrian Company PCD FILE NO. SF-22-029 SIGHT DISTANCE EASEMENT Centennial 303-740-9393 • Colorado Springs 719-593-2593

Fort Collins 970-491-9888 • www.jrengineering.com

HOMESTEAD NORTH AT STERLING RANCH FILING NO. 3 A PORTION OF THE SOUTHEAST 1/4 OF SECTION 28, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN **COUNTY OF EL PASO, STATE OF COLORADO** SEE SHEET 4 **44** 9,882 SF 0.2269 AC **43** 11,720 SF 0.2691 AC 38 00.740 SF 10,740 SF 10,00.2465 AC (08/2) **32** 25,209 SF 0.5787 AC (18/5) 39 12,287 SF 10,2821 AC 0.2479 AC | 50 **33** 9,182 SF 0.2108 AC 11,330 SF 10,800 SF | 12,091 SF 0.2776 AC 5 0.2601 AC _ __ _80.00'. __N89°08'31"E. _ _N89°08'31"E. N89°08'31"E 166.76' ...S89°08'31"W.__| _____S82°14'51"W__ TRACT A 85,588 SF S89°08'31"W 52 10,802 SF 1,5 0.2480 AC 12,160 SF 0.2792 AC 9,882 SF 0.2269 AC 54 0 10,800 SF 0 0.2479 AC 55 10,800 SF 0.2479 AC 10,800 SF 0.2479 AC 11,089 SF 0.2546 AC 12,278 SF 0.2819 AC 0.2460 AC 50 11,993 SF 0.2753 AC 12,657 SF 0.2906 AC **57** 11,912 SF 0.2735 AC 7 12,630 SF - 0.2899 AC WILLIAM DOWNING DR. N89°08'31"E 371.05' WILLIAM DOWNING DR. 58 (87) 10,330 SF (87) 0.2372 AC (9) (URBAN LOCAL) 380°16'48"E 154.59'Δ=18°33'05" R=325.00 L=103.32' 86.87' 154.59'Δ=18°33'05" R=350.00' L=113.32' 40' R.O.W. DEDICATED TO EL PASO COUNTY FOR RIGHT-OF-WAY PURPOSES BY THIS PLAT **59** 10,792 SF 0.2477 AC **71** 10,780 SF 0.2475 AC **76** 3 10,839 SF ඉ 0.2488 AC 12,305 SF 0.2825 AC 75 11,092 SF 0.2546 AC 10,800 SF ... 0.2479 AC 10,800 SF 50 0.2479 AC 50 10,800 SF 0.2479 AC 10,800 SF .X 0.2479 AC .5 10,847 SF 0.2490 AC ်က္က 11,038 SF က္ 0.2534 AC **73** 12,770 SF 0.2932 AC **72** 13,941 SF 0.3200 AC TRACT C GRANT OF RIGHT-OF-WAY REC. NO. 220194548 $\frac{-63.78' - \Delta = 6^{\circ}26'24'' | | | |}{L = 57.32'}$ S89°08'31"W 282.46' S89°08'31"W 138.00'_ 25' PUBLIC REGIONAL TRAIL EASEMENT Δ=18°33'05" R=510.00' L=165.13' **65** 14,570 SF 10,790 SF 0.2477 AC SE 1/4, SEC. 28, T.12S, R.65W, 6TH P.M. TRACT C R=774.82'-L=21.20' 335,036 SF 7.6914 AC AT REC TRACT B N77°47'32"W(R) 78,913 SF 12,220 SF 1.8116 AC 0.2805 AC 11,201 SF 0.2571 AC ⁻⁻N88°42'36"W 137.01'--/**********/ _N00°38'29"W N11°07'11"E 36.48' * HOMESTEAD NORTH AT STERLING RANCH 3.91' **63** 13,845 SF 0.3178 AC SW 1/4, SEC. 28, T.12S, R.65W, 6TH P.M. POINT OF COMMENCEMENT 52 RECOVERED 3-1/4" ALUMINUM CAP — STAMPED "100 W.C. LS 10376" NE COR., SE1/4, SE1/4, SEC. 28 T.12S, R.65W, 6TH P.M. 51 *50* 10.26 BASIS OF BEARINGS: **LEGEND** S. LINE, SW1/4, SEC. 34, T.12S, R.65W, 6TH P.M. RECOVERED 1-1/4" YELLOW PLASTIC CAP STAMPED "LS 10376" AT GRADE 10' PUBLIC UTILITY AND DRAINAGE EASEMENT N89°14'14"E 2,722.69' RECOVERED #5 REBAR W/1-1/2" ALUMINUM CAP S1/4 COR. SEC. 34, T.12S, R.65W, 6TH P.M. SE COR. SEC. 33, T.12S, R.65W, 6TH P.M. RECOVERED 2.5" ALUMINUM CAP RECOVERED 2.5" ALUMINUM CAP -STAMPED "LS 11624" SQUARE FEET STAMPED "LS 11624" RADIAL BEARING (R) RB NOT A PART OF THIS SUBDIVISION PROPOSED SUBDIVISION BOUNDARY JOB NO. 25188.12 5' PUBLIC UTILITY AND DRAINAGE EASEMENT PROPOSED LOT LINE MARCH 31, 2023 PROPOSED RIGHT-OF-WAY LINE SHEET 3 OF 5 60 30 0 PROPOSED CENTERLINE ORIGINAL SCALE: 1" = 60"EXISTING PROPERTY LINE EXISTING RIGHT-OF-WAY LINE 38252 EXISTING CENTERLINE 10' PUBLIC — IMPROVEMENTS AND PUBLIC UTILITY EASEMENT SIGHT DISTANCE EASEMENT A Westrian Company PCD FILE NO. SF-22-029 Centennial 303-740-9393 • Colorado Springs 719-593-2593 Fort Collins 970-491-9888 • www.jrengineering.com

HOMESTEAD NORTH AT STERLING RANCH FILING NO. 3

A PORTION OF THE SOUTHEAST 1/4 OF SECTION 28, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN COUNTY OF EL PASO, STATE OF COLORADO

	LINE TABLE			
LINE	BEARING	DISTANCE		
L1	S44°08'31"W	21.21'		
L2	S44°08'31"W	15.56'		
L3	S44°08'31"W	36.77'		
L4	N89°08'31"E	9.32'		
L5	S45°51'29"E	36.77'		
L6	S45*51'29"E	15.56'		
L7	S45*51'29"E	21.21'		
L8	N45*51'29"W	21.21'		
L9	N45*51'29"W	15.56'		
L10	N45*51'29"W	36.77'		
L11	N44°08'31"E	21.21'		
L13	N44°08'31"E	36.77'		
L14	S89°08'31"W	26.76'		
L15	S89°08'31"W	41.06'		
L16	S44°08'31"W	21.21'		
L17	S44°08'31"W	15.56'		
L18	S44°08'31"W	36.77'		
L19	S45°51'29"E	36.77'		
L20	S45°51'29"E	21.21'		
L21	S45*51'29"E	15.56'		

LINE TABLE		
LINE	BEARING	DISTANCE
L22	N44°08'31"E	36.77
L23	N44°08'31"E	21.21'
L24	N44°08'31"E	15.56'
L25	N45°51'29"W	21.21'
L26	N45°51'29"W	36.77'
L27	N45*51'29"W	15.56'
L28	N73°30'15"W	28.82'
L29	N37°57'00"W	22.47'
L30	N37°57'00"W	15.97'
L31	N37°57'00"W	38.44'
L32	N51°48'28"E	20.00'
L33	N51°48'28"E	14.85'
L34	N51°48'28"E	34.85'
L35	S80°16'48"E	15.34'
L36	N80°16'48"W	16.91'
L37	S34°09'50"E	15.45'
L38	S34°09'50"E	36.04'
L39	S34°09'50"E	20.59'
L40	N55°44'47"E	21.80'
L41	N55°44'47"E	37.42'

	LINE TABLE			
LINE	BEARING	DISTANCE		
L42	N55°44'47"E	15.62'		
L43 S80°16'48"E		35.68'		
L44	N80°16'48"W	37.11'		
L45	S71°47'16"W	28.82'		
L46	S73°30'15"E	28.82'		

	CURVE	TABLE	
CURVE	DELTA	RADIUS	LENGTH
C1	49°40'47"	30.00'	26.01
C2	31°18'16"	55.00'	30.05
C3	81°39'30"	55.00'	78.39'
C4	22°20'44"	30.00'	11.70'
C5	49°40'47"	30.00'	26.01'
C6	27*20'03"	30.00'	14.31'
C7	49*40'47"	30.00'	26.01
C8	41°35'57"	55.00'	39.93'
C9	60*22'46"	55.00'	57.96'
C10	64°44'13"	55.00'	62.14'
C11	49*40'48"	30.00'	26.01'
C12	49 ° 40'47"	30.00'	26.01'
C13	49°48'47"	55.00'	47.82
C14	59°40'10"	55.00'	57.28
C15	30°11'50"	55.00'	28.99'
C16	33°39'45"	55.00'	32.31'
C17	56°22'15"	55.00'	54.11'
C18	49 ° 38'47"	55.00'	47.66
C19	49°40'47"	30.00'	26.01
C20	49 ° 40'47"	30.00'	26.01

CURVE TABLE CURVE DELTA RADIUS LENGTH C21 49°50′47" 55.00′ 47.85′ C22 72°38′46" 55.00′ 69.74′ C23 49°40′47" 55.00′ 47.69′ C24 49°40′47" 30.00′ 26.01′ C25 4°47′31" 525.00′ 43.91′ C26 3°22′06" 540.00′ 31.75′ C27 3°58′48" 590.00′ 40.98′ C28 5°35′04" 605.00′ 58.97′ C29 6°32′15" 325.00′ 37.08′ C30 12°00′50" 325.00′ 68.15′ C31 6°50′41" 375.00′ 44.80′ C32 11°42′23" 375.00′ 76.62′ C33 49°40′47" 30.00′ 26.01′ C34 57°39′11" 55.00′ 69.74′ C35 72°38′46" 55.00′ 69.74′ C36 34°42′29" 55.00′ 85.35′ C38				
C21 49*50'47" 55.00' 47.85' C22 72*38'46" 55.00' 69.74' C23 49*40'47" 55.00' 47.69' C24 49*40'47" 30.00' 26.01' C25 4*47'31" 525.00' 43.91' C26 3*22'06" 540.00' 31.75' C27 3*58'48" 590.00' 40.98' C28 5*35'04" 605.00' 58.97' C29 6*32'15" 325.00' 37.08' C30 12*00'50" 325.00' 68.15' C31 6*50'41" 375.00' 44.80' C32 11*42'23" 375.00' 76.62' C33 49*40'47" 30.00' 26.01' C34 57*39'11" 55.00' 69.74' C36 34*42'29" 55.00' 33.32' C37 88*54'49" 55.00' 85.35' C38 25*26'21" 55.00' 24.42' C39 49*40'47" 30.00' 26.01'		CURVE	TABLE	
C22 72°38′46" 55.00' 69.74' C23 49°40′47" 55.00' 47.69' C24 49°40′47" 30.00' 26.01' C25 4°47′31" 525.00' 43.91' C26 3°22′06" 540.00' 31.75' C27 3°58′48" 590.00' 40.98' C28 5°35′04" 605.00' 58.97' C29 6°32′15" 325.00' 37.08' C30 12°00′50" 325.00' 68.15' C31 6°50′41" 375.00' 44.80' C32 11°42′23" 375.00' 76.62' C33 49°40′47" 30.00' 26.01' C34 57°39′11" 55.00' 55.34' C35 72°38′46" 55.00' 69.74' C36 34°42′29" 55.00' 33.32' C37 88°54′49" 55.00' 85.35' C38 25°26′21" 55.00' 24.42' C39 49°40′47" 30.00' 26.01'	CURVE	DELTA	RADIUS	LENGTH
C23 49°40′47″ 55.00′ 47.69′ C24 49°40′47″ 30.00′ 26.01′ C25 4°47′31″ 525.00′ 43.91′ C26 3°22′06″ 540.00′ 31.75′ C27 3°58′48″ 590.00′ 40.98′ C28 5°35′04″ 605.00′ 58.97′ C29 6°32′15″ 325.00′ 37.08′ C30 12°00′50″ 325.00′ 68.15′ C31 6°50′41″ 375.00′ 44.80′ C32 11°42′23″ 375.00′ 76.62′ C33 49°40′47″ 30.00′ 26.01′ C34 57°39′11″ 55.00′ 55.34′ C35 72°38′46″ 55.00′ 69.74′ C36 34°42′29″ 55.00′ 33.32′ C37 88°54′49″ 55.00′ 24.42′ C39 49°40′47″ 30.00′ 26.01′	C21	49 ° 50'47"	55.00'	47.85'
C24 49°40′47″ 30.00′ 26.01′ C25 4°47′31″ 525.00′ 43.91′ C26 3°22′06″ 540.00′ 31.75′ C27 3°58′48″ 590.00′ 40.98′ C28 5°35′04″ 605.00′ 58.97′ C29 6°32′15″ 325.00′ 37.08′ C30 12°00′50″ 325.00′ 68.15′ C31 6°50′41″ 375.00′ 44.80′ C32 11°42′23″ 375.00′ 76.62′ C33 49°40′47″ 30.00′ 26.01′ C34 57°39′11″ 55.00′ 55.34′ C35 72°38′46″ 55.00′ 69.74′ C36 34°42′29″ 55.00′ 33.32′ C37 88°54′49″ 55.00′ 85.35′ C38 25°26′21″ 55.00′ 24.42′ C39 49°40′47″ 30.00′ 26.01′	C22	72 ° 38 ' 46"	55.00'	69.74'
C25 4°47′31" 525.00′ 43.91′ C26 3°22′06" 540.00′ 31.75′ C27 3°58′48" 590.00′ 40.98′ C28 5°35′04" 605.00′ 58.97′ C29 6°32′15" 325.00′ 37.08′ C30 12°00′50" 325.00′ 68.15′ C31 6°50′41" 375.00′ 44.80′ C32 11°42′23" 375.00′ 76.62′ C33 49°40′47" 30.00′ 26.01′ C34 57°39′11" 55.00′ 55.34′ C35 72°38′46" 55.00′ 69.74′ C36 34°42′29" 55.00′ 33.32′ C37 88°54′49" 55.00′ 85.35′ C38 25°26′21" 55.00′ 24.42′ C39 49°40′47" 30.00′ 26.01′	C23	49°40'47"	55.00'	47.69'
C26 3°22'06" 540.00' 31.75' C27 3°58'48" 590.00' 40.98' C28 5°35'04" 605.00' 58.97' C29 6°32'15" 325.00' 37.08' C30 12°00'50" 325.00' 68.15' C31 6°50'41" 375.00' 44.80' C32 11°42'23" 375.00' 76.62' C33 49°40'47" 30.00' 26.01' C34 57°39'11" 55.00' 55.34' C35 72°38'46" 55.00' 69.74' C36 34°42'29" 55.00' 33.32' C37 88°54'49" 55.00' 85.35' C38 25°26'21" 55.00' 24.42' C39 49°40'47" 30.00' 26.01'	C24	49°40'47"	30.00'	26.01'
C27 3*58'48" 590.00' 40.98' C28 5*35'04" 605.00' 58.97' C29 6*32'15" 325.00' 37.08' C30 12*00'50" 325.00' 68.15' C31 6*50'41" 375.00' 44.80' C32 11*42'23" 375.00' 76.62' C33 49*40'47" 30.00' 26.01' C34 57*39'11" 55.00' 55.34' C35 72*38'46" 55.00' 69.74' C36 34*42'29" 55.00' 33.32' C37 88*54'49" 55.00' 85.35' C38 25*26'21" 55.00' 24.42' C39 49*40'47" 30.00' 26.01'	C25	4°47'31"	525.00'	43.91'
C28 5°35'04" 605.00' 58.97' C29 6°32'15" 325.00' 37.08' C30 12°00'50" 325.00' 68.15' C31 6°50'41" 375.00' 44.80' C32 11°42'23" 375.00' 76.62' C33 49°40'47" 30.00' 26.01' C34 57°39'11" 55.00' 55.34' C35 72°38'46" 55.00' 69.74' C36 34°42'29" 55.00' 33.32' C37 88°54'49" 55.00' 85.35' C38 25°26'21" 55.00' 24.42' C39 49°40'47" 30.00' 26.01'	C26	3°22'06"	540.00'	31.75'
C29 6*32'15" 325.00' 37.08' C30 12*00'50" 325.00' 68.15' C31 6*50'41" 375.00' 44.80' C32 11*42'23" 375.00' 76.62' C33 49*40'47" 30.00' 26.01' C34 57*39'11" 55.00' 55.34' C35 72*38'46" 55.00' 69.74' C36 34*42'29" 55.00' 33.32' C37 88*54'49" 55.00' 85.35' C38 25*26'21" 55.00' 24.42' C39 49*40'47" 30.00' 26.01'	C27	3*58'48"	590.00'	40.98'
C30 12*00'50" 325.00' 68.15' C31 6*50'41" 375.00' 44.80' C32 11*42'23" 375.00' 76.62' C33 49*40'47" 30.00' 26.01' C34 57*39'11" 55.00' 55.34' C35 72*38'46" 55.00' 69.74' C36 34*42'29" 55.00' 33.32' C37 88*54'49" 55.00' 85.35' C38 25*26'21" 55.00' 24.42' C39 49*40'47" 30.00' 26.01'	C28	5*35'04"	605.00'	58.97
C31 6°50'41" 375.00' 44.80' C32 11°42'23" 375.00' 76.62' C33 49°40'47" 30.00' 26.01' C34 57°39'11" 55.00' 55.34' C35 72°38'46" 55.00' 69.74' C36 34°42'29" 55.00' 33.32' C37 88°54'49" 55.00' 85.35' C38 25°26'21" 55.00' 24.42' C39 49°40'47" 30.00' 26.01'	C29	6°32'15"	325.00'	37.08'
C32 11°42′23″ 375.00′ 76.62′ C33 49°40′47″ 30.00′ 26.01′ C34 57°39′11″ 55.00′ 55.34′ C35 72°38′46″ 55.00′ 69.74′ C36 34°42′29″ 55.00′ 33.32′ C37 88°54′49″ 55.00′ 85.35′ C38 25°26′21″ 55.00′ 24.42′ C39 49°40′47″ 30.00′ 26.01′	C30	12*00'50"	325.00'	68.15'
C33 49°40′47" 30.00' 26.01' C34 57°39′11" 55.00' 55.34' C35 72°38′46" 55.00' 69.74' C36 34°42′29" 55.00' 33.32' C37 88°54′49" 55.00' 85.35' C38 25°26′21" 55.00' 24.42' C39 49°40′47" 30.00' 26.01'	C31	6°50'41"	375.00'	44.80'
C34 57°39'11" 55.00' 55.34' C35 72°38'46" 55.00' 69.74' C36 34°42'29" 55.00' 33.32' C37 88°54'49" 55.00' 85.35' C38 25°26'21" 55.00' 24.42' C39 49°40'47" 30.00' 26.01'	C32	11°42'23"	375.00'	76.62'
C35 72*38'46" 55.00' 69.74' C36 34*42'29" 55.00' 33.32' C37 88*54'49" 55.00' 85.35' C38 25*26'21" 55.00' 24.42' C39 49*40'47" 30.00' 26.01'	C33	49°40'47"	30.00'	26.01'
C36 34°42'29" 55.00' 33.32' C37 88°54'49" 55.00' 85.35' C38 25°26'21" 55.00' 24.42' C39 49°40'47" 30.00' 26.01'	C34	57°39'11"	55.00'	55.34'
C37 88°54'49" 55.00' 85.35' C38 25°26'21" 55.00' 24.42' C39 49°40'47" 30.00' 26.01'	C35	72 ° 38'46"	55.00'	69.74'
C38 25°26'21" 55.00' 24.42' C39 49°40'47" 30.00' 26.01'	C36	34°42'29"	55.00'	33.32'
C39 49°40′47" 30.00′ 26.01′	C37	88*54'49"	55.00'	85.35
10000	C38	25°26'21"	55.00'	24.42'
C40 7°53′38" 375.00′ 51.67′	C39	49°40'47"	30.00'	26.01
	C40	7*53'38"	375.00'	51.67

CURVE TABLE			
CURVE	DELTA	RADIUS	LENGTH
C41	10°34'41"	375.00'	69.23
C42	2°41'03"	375.00'	17.57
C43	10°34'41"	325.00'	60.00'
C44	10°34'41"	350.00'	64.62'
C45	23°30'57"	60.00'	24.63'
C46	32*24'34"	60.00'	33.94'
C47	27°45'16"	60.00'	29.06'
C48	57*46'00"	60.00'	60.49
C49	21 ° 56'27"	60.00'	22.98'
C50	125 ° 03 ' 14"	60.00'	130.96
C51	1°34'31"	60.00'	1.65'
C52	78 ° 01'19"	60.00'	81.70'
C53	6°43'01"	60.00'	7.03'
C54	1°37'37"	814.82	23.14'
C55	1°41'36"	864.82	25.56'
C56	36 ° 56'29"	565.00'	364.28
C57	11°53'14"	605.00'	125.52
C58	8°51'48"	565.00'	87.40'
C59	16 ° 06'43"	525.00'	147.63



